

# ORAL-EZE DENTAL EMERGENCY TOOTHACHE MEDICATION

## COMPOSITION

Active ingredients : benzocaine 7.5% w / v, clove bud oil 19% v / v  
& ethanol 18% v / v

## USE

For the temporary relief of throbbing & persistent toothache due to a cavity.

## WARNING

Not to be used for a period exceeding 48 hours. Toothaches and open cavities indicate serious problems which need prompt attention by a dentist. If irritation develops, or a fever and infection develop, discontinue use and see your dentist or physician promptly. Do not use if you are allergic to eugenol (clove oil), benzocaine or caine type anaesthetics. Avoid use in pregnancy as safety not established in pregnancy.

## DOSAGE

Rinse the tooth with water to remove any food particles from the cavity. Moisten a small piece of cotton wool with 1 or 2 drops of Oral-eze dental medication and place in cavity for approximately 1 minute. Avoid touching tissues other than the tooth cavity. Apply the dose not more than four times daily or as directed by a dentist or physician. Children 2 to 12 years of age should be supervised in the use of this product.

For children under 2 years of age there is no recommended dosage except under the advice of a dentist or physician.

## PRESENTATION

Topical solution, 5 ml.

## STORAGE

Store below 30°C in a dry place. Shelf life: 3 years.

## POISONS SCHEDULE

S2